

Coinpoker

1. Добавить домены в list-general (или в list-general-user)

```
coinpokerbackend.com
coinpoker.com
coinpoker1.com
coinpoker.ai
coinpoker.biz
coincashier-m1.com
coincashier-m2.com
```

2. Добавить порты для обработки

Откройте Ваш файл стратегии (на скриншоте пример с ALT 9) блокнотом и добавьте 3000,3001,9000 в том же месте, что и на скриншоте:

```
@echo off
chcp 65001 > nul
:: 65001 - UTF-8

cd /d "%-dp0"
call service.bat status_zapret
call service.bat check_updates
call service.bat load_game_filter
call service.bat load_user_lists
echo:

set "BIN=%-dp0bin"
set "LISTS=%-dp0lists"
cd /d %BIN%

start "zapret: %-n0" /min "%BIN%winws.exe" --wf-tcp=80,443,2053,2083,2087,2096,8443,3000,3001,9000,%GameFilterTCP% --wf-udp=443,19294-19344,50000-50100,%GameFilterUDP% ^
--filter-tcp=3000,3001,9000 --ipset-ip=172.65.0.0/16 --dpi-desync=multisplit --dpi-desync-any-protocol=1 --dpi-desync-cutoff=n3 --dpi-desync-split-seqovl=681 --dpi-desync-split-pos=1 --dpi-desync-split-seqovl-pattern="%BIN%
tls_clienthello_www_google_com.bin" --new ^
--filter-udp=443 --hostlist="%LISTS%list-general.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --
ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=fake --dpi-desync-repeats=6 --dpi-desync-fake-quiv="%BIN%quic_initial_www_google_com.bin" --new ^
--filter-udp=19294-19344,50000-50100 --filter-17-discord,stun --dpi-desync=fake --dpi-desync-repeats=6 --new ^
--filter-tcp=2053,2083,2087,2096,8443 --hostlist-domains=discord.media --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=www.google.com --new ^
--filter-tcp=443 --hostlist="%LISTS%list-google.txt" --ip-id=zero --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=www.google.com --new ^
--filter-tcp=80,443 --hostlist="%LISTS%list-general.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-
exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts,md5sig --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-udp=443 --ipset="%LISTS%ipset-all.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --
dpi-desync=fake --dpi-desync-repeats=6 --dpi-desync-fake-quiv="%BIN%quic_initial_www_google_com.bin" --new ^
--filter-tcp=80,443,8443 --ipset="%LISTS%ipset-all.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude-
user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-tcp=%GameFilterTCP% --ipset="%LISTS%ipset-all.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-any-protocol=1 --dpi-
desync-cutoff=n3 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-udp=%GameFilterUDP% --ipset="%LISTS%ipset-all.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=fake --dpi-desync-repeats=12 --dpi-desync-any-protocol=1 --dpi-desync-
fake-unknown-udp="%BIN%quic_initial_www_google_com.bin" --dpi-desync-cutoff=n2
```

не закрывайте файл и выполните следующий шаг

3. Добавить отдельное правило для бриджа с этими портами

Вставьте эту строчку

```
--filter-tcp=3000,3001,9000 --ipset-ip=172.65.0.0/16 --dpi-desync=multisplit --dpi-desync-any-protocol=1 --dpi-
desync-cutoff=n3 --dpi-desync-split-seqovl=681 --dpi-desync-split-pos=1 --dpi-desync-split-seqovl-
pattern="%BIN%tls_clienthello_www_google_com.bin" --new ^
```

В указанное место

```
@echo off
chcp 65001 > nul
:: 65001 - UTF-8

cd /d "%-dp0"
call service.bat status_zapret
call service.bat check_updates
call service.bat load_game_filter
call service.bat load_user_lists
echo:

set "BIN=%-dp0bin"
set "LISTS=%-dp0lists"
cd /d %BIN%

start "zapret: %-n0" /min "%BIN%winws.exe" --wf-tcp=80,443,2053,2083,2087,2096,8443,3000,3001,9000,%GameFilterTCP% --wf-udp=443,19294-19344,50000-50100,%GameFilterUDP% ^
--filter-tcp=3000,3001,9000 --ipset-ip=172.65.0.0/16 --dpi-desync=multisplit --dpi-desync-any-protocol=1 --dpi-desync-cutoff=n3 --dpi-desync-split-seqovl=681 --dpi-desync-split-pos=1 --dpi-desync-split-seqovl-pattern="%BIN%
tls_clienthello_www_google_com.bin" --new ^
--filter-udp=443 --hostlist="%LISTS%list-general.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --
ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=fake --dpi-desync-repeats=6 --dpi-desync-fake-quiv="%BIN%quic_initial_www_google_com.bin" --new ^
--filter-udp=19294-19344,50000-50100 --filter-17-discord,stun --dpi-desync=fake --dpi-desync-repeats=6 --new ^
--filter-tcp=2053,2083,2087,2096,8443 --hostlist-domains=discord.media --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=www.google.com --new ^
--filter-tcp=443 --hostlist="%LISTS%list-google.txt" --ip-id=zero --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=www.google.com --new ^
--filter-tcp=80,443 --hostlist="%LISTS%list-general.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-
exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts,md5sig --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-udp=443 --ipset="%LISTS%ipset-all.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --
dpi-desync=fake --dpi-desync-repeats=6 --dpi-desync-fake-quiv="%BIN%quic_initial_www_google_com.bin" --new ^
--filter-tcp=80,443,8443 --ipset="%LISTS%ipset-all.txt" --hostlist-exclude="%LISTS%list-exclude.txt" --hostlist-exclude="%LISTS%list-exclude-user.txt" --ipset-exclude="%LISTS%ipset-exclude-
user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-tcp=%GameFilterTCP% --ipset="%LISTS%ipset-all.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=hostfakesplit --dpi-desync-repeats=4 --dpi-desync-any-protocol=1 --dpi-
desync-cutoff=n3 --dpi-desync-fooling=ts --dpi-desync=hostfakesplit-mod=host=ozon.ru --new ^
--filter-udp=%GameFilterUDP% --ipset="%LISTS%ipset-all.txt" --ipset-exclude="%LISTS%ipset-exclude.txt" --ipset-exclude="%LISTS%ipset-exclude-user.txt" --dpi-desync=fake --dpi-desync-repeats=12 --dpi-desync-any-protocol=1 --dpi-desync-
fake-unknown-udp="%BIN%quic_initial_www_google_com.bin" --dpi-desync-cutoff=n2
```

Не забудьте сохранить файл! Убедитесь, что вставка произошла штатно (не потерялись дефисы или появились лишние разрывы строк) и после этого можете проверять работоспособность коина